EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L16	39	((ROBERT) near2 (SKOG)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/07/03 20:38
L17	2	16 and (web adj2 service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/03 20:38
S1	1	10/598676	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/17 18:22
S2	7833	"uniform resource identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 13:25
S3	765	S2 and circuit adj switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 13:25
S4	172	S3 and (@ad<="20040309" @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 13:25
S5	139	S4 and (mobile wireless) near2 (phone device node station telephone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 13:25
S6	74	S5 and (web internet) near2 service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 13:25

S7	8	S5 and (web internet) near2 service with (id identif\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 13:49
S8	0	S7 and *e.164*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 13:49
S9	25	S5 and *e.164*	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 13:49
S12	2	"20010039592".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 14:00
S13	50	(370/313,338,352-356.ccls. 455/41.2,41.3,518,519.ccls.) and (web internet) near2 (service application) with (id identif\$7) and "e.164"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:38
S14	23	S13 and (@ad<="20040309" @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:38
S15	1	S14 and "uniform resource identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:38
S16	7833	"uniform resource identifier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:46
S17	1393	S16 and ("peer-to-peer" (peer adj2 peer) ppp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:49

S18	20	S17 and (web internet) near2 (service application) with (id identif\$7) and "e.164"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:49
S19	0	S18 and (@ad<="20040309" @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:49
S20	90	S17 and (web internet) near2 (service application) with (id identif\$7) and (phone telephone) near2 ("No" number)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:51
S21	36	\$20 and (@ad<="20040309" @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:52
S22	6	\$21 and (web internet) near2 (service application) with register \$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:55
S23	6	S22 and location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 17:56
S24	18	(455/41.2,41.3.cds.) and (web internet) near2 (service application) same ("peer-to-peer" (peer adj2 peer) ppp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:34
S25	11	\$24 and (@ad<="20040309" @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:34
S26	9	S16 and combin\$5 with ("uniform resource identifier" URI) with (((phone telephone) near2 (id identif\$7)) "e.164")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:41

S27	0	S26 and (@ad<= "20040309" @rlad<= "20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:41
S28	0	\$26 and (@pd<="20050907")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:43
S29	21	\$16 and combin\$5 with ("uniform resource identifier" URI) with (((phone telephone circuit\$switch\$3) near2 (id identif \$7 number)) "e.164")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:51
S30	1	S29 and (@ad<="20040309" @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:51
S31	1	S29 and (@pd<="20050907")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:52
S32	204	S16 and (combin\$5 append\$3 associat\$5 incorporat\$5 join\$5 mix\$3) with ("uniform resource identifier" UFI) with (((phone telephone circuit\$switch\$3) near2 (id identif\$7 number)) "e.164")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:56
S33	39	S32 and (@ad<= "20040309" @rlad<= "20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:57
S34	21	\$33 and ("peer-to-peer" (peer adj2 peer) ppp ad\$hoc (ad adj hoc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 18:59
S35	376	(455/41.2,41.3.cds.) and (web internet) near2 (service application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 19:08

S36	197	\$35 and (@ad<= "20040309" @rlad<= "20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 19:08
S37	1	\$36 and (access\$4 serv\$3) with second near2 (device mobile phone telephone MS station SA) with (web internet) near2 (service application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 19:12
S38	1	S36 and (provid\$3) with second near2 (device mobile phone telephone MS station SA) with (web internet) near2 (service application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 19:16
S39	0	S36 and (us\$3) with second near2 (device mobile phone telephone MS station SA) with (web internet) near2 (service application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 19:55
S40	9	\$36 and (us\$3 access\$3 provid \$3) with second near2 (device mobile phone telephone MS station SA) with (service application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 19:57
S41	0	register\$5 with (web internet) near2 (service application) same (combin\$5 append\$3 associat\$5 incorporat\$5 join\$5 mix\$3) with ("uniform resource identifier" URI IP) with (((c)hone telephone circuit\$switch\$3) near2 (id identif \$7 number) "e.164") and (mobile wireless) near2 (device phone telephone station) and (@ad<= "20040309") @idad= "20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:25
S42	0	registr\$5 with (web internet) near2 (service application) same (combin\$5 append\$3 associat\$5 incorporat\$5 join\$5 mix\$3) with ("uniform resource identifier" URI IP) with (((jchone telephone circuit\$switch\$3) near2 (id identif \$7 number)) "e.164") and (mobile wireless) near2 (device phone telephone station) and (@ad<= "20040309") @rlad<= "20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:26

S43	1	regist\$5 with (web internet) near2 (service application) same (combin\$5 append\$3 associat\$5 incorporat\$5 join\$5 mix\$3) with ("uniform resource identifier" URI IP with ("(phone telephone circuit\$switch\$3) near2 (d identifi\$7 number)) "e.164") and (mobile wireless) near2 (device phone telephone station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR		2010/07/02 20:27
S44	7	regist\$5 with (web internet) near2 (service application) same ("uniform resource identifier" URI IP with (((phone telephone circuitswitch\$3) near2 (id identif \$7 number)) "e.164") and (mobile wireless) near2 (device phone telephone station) and ((Øads = "20040309") (@rlads = "20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:28
S45	4	registr\$5 with (web internet) near2 (service application) same ("uniform resource identifier" URI IP) with (((phone telephone circuit\$switch\$3) near2 (di identifi \$7 number)) "e.164") and "455"? \$.cds. and (@ad<= "20040309" @riad<= "20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:32
S46	33	registr\$5 with ("uniform resource identifier" URI IP) with (((phone telephone circuit\$switch \$3) near2 (id identif\$7 number)) "e.164") and "455"/\$.ccls. and (@ad<="20040309") @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:39
S47	2	S46 and registr\$5 with (web internet) near2 (service application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:40
S48	15	S46 and (web internet) near2 (service application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:41
S49	4	\$48 and ("peer-to-peer" (peer adj2 peer) ppp ad\$hoc (ad adj hoc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/07/02 20:41

S50	122	(combin\$5 append\$3 associat\$5 incorporat\$5 join\$5 mix\$3 includ \$3) with ("uniform resource identifier" URI) with (((phone telephone circuit\$switch\$3) near2 ((d identif\$7 number)) "e.164") and (@adc="20040309") @riad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:55
S51	87	\$30 and (mobile wireless) near2 (device phone telephone station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:56
S52	1	(455/41.2,41.3.cdls.) and 950	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:57
S53	16	("455"/\$.cds.) and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 20:58
S54	48	\$50 and ("peer-to-peer" (peer adj2 peer) ppp ad\$hoc (ad adj hoc) "mobile-to-mobile")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:08
S55	1	"mobile-to-mobile" with servic\$3 and "universal description discovery"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:33
S56	1	"mobile-to-mobile" and "universal description discovery"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:34
S57	О	S50 and "universal description discovery"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM TDB	OR	ON	2010/07/02 21:35

S58	0	"universal description discovery" and ("uniform resource identifier" URI) with (((phone telephone circuitswirts)) near2 ((id identifi\$7 number)) "e.164") and ((@ad<="20040309") (@idd<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:36
S59	2	S50 and *simple object access protocol"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:37
S60	2	"mobile-to-mobile" with (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:47
S61	2	"mobile-to-mobile" same (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:48
S62	28	"mobile-to-mobile" and (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:48
S63	10	S62 and (@ad<="20040309" @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:48
S64	2	"mobile-to-mobile" with (application adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:51
S65	4	S50 and (web adj service)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/02 21:55

S66	1	"455"/\$.cds. and (web adj service) with registr\$5 with (((phone telephone circuit\$switch \$3) near2 (id identif\$7 number)) "e.164")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/03 00:49
S67	9	(@ad<="20040309") @rlad<="20040309") and (web adj service) with registr\$5 with (((phone telephone circuit\$switch \$3) near2 (id identif\$7 number)) "e.164")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/03 00:49
S68	18	(455/41.2,41.3.cds.) and (web internet) near4 (application service) with shar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/03 01:11
S69	7	S68 and (@ad<="20040309" @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/03 01:11
S70	0	("mobile-to-mobile") same (web internet) near4 (application service) with shar\$3 and (@ad<="20040309") @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/03 01:16
S71	5	("mobile-to-mobile") and (web internet) near4 (application service) with shar\$3 and (@ad<="20040309") @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/03 01:16
S72	6	(bluetooth) same (web internet) near4 (application service) with shar\$3 and (@ad<="20040309") @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/03 01:20
S73	10	(ad\$hoc (ad adj hoc)) same (web internet) near4 (application service) with shar\$3 and (@ad<="20040309" @rlad<="20040309")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/07/03 01:22

7/3/2010 8:39:47 PM

C:\ Documents and Settings\ akasraian\ My Documents\ EAST\ Workspaces\ 10598676_01.wsp